

CONTENTS OF VOLUME 31

- ALLEN, J. R.—The ultraviolet absorption of silver bromide, 218.
- ALLIN, E. J.—See Noakes, G. E.
- ATKINS, K. R.—The surface tension of liquid helium, 1165.
- ATKINS, K. R., FINDLAY, J. C., LOVEJOY, D. R., and WATSON, W. H.—A method of concentrating He^3 - He^4 mixtures, 679(L).
- ATKINS, K. R. and STASIOR, R. A.—First sound in liquid helium at high pressures, 1156.
- BAKER, R. G.—See Katz, L.
- BARTHOLOMEW, G. A.—See Kinsey, B. B.
- BARTHOLOMEW, G. A. and KINSEY, B. B.—Further measurements on the γ rays produced by neutron capture in beryllium and carbon, 49. The neutron capture γ -rays from potassium, 927. Neutron capture γ -rays from heavy odd-charge nuclei, 1025.
- BARTHOLOMEW, R. M., BROWN, F., HOWELL, W. D., SHOREY, W. R. J., and YAFFE, L.—The design of an automatic recording electroscopes and its use to determine half-lives in radioactive decay, 714.
- BAYLY, J. G.—An experimental study of a divergent nuclear reactor, 182.
- BELL, R. E.—See Graham, R. L.
- BENSON, G. C.—See van der Hoff, B. M. E.
- BIGHAM, C. B.—See Dawson, W. K.
- BLACKWELL, J. H.—Radial-axial heat flow in regions bounded internally by circular cylinders, 472.
- BROCKHOUSE, B. N.—The initial magnetization of nickel under tension, 339. Resonant scattering of slow neutrons, 432.
- BROWN, F.—See Bartholomew, R. M.
- BROWN, F., WOLFSON, J. L., and YAFFE, L.—Pile neutron capture cross sections of Co^{60} (10.5 min.) and Co^{60} (5.25 yr.), 903.
- BUCKTHOUGHT, K.—A quantum-statistical theory of liquid helium, 932.
- CAMERON, A. G. W.—See Haslam, R. N. H.; Millar, C. H.
- CAMPBELL, L. L.—See Wait, J. R.
- CHALMERS, B.—The preparation of single crystals and bicrystals by the controlled solidification of molten metals, 132. See Jackson, K. A.; Rutter, J. W.
- CHAPMAN, J. H.—A study of winds in the ionosphere by radio methods, 120.
- CLARKE, R. L.—See Paul, E. B.
- COLLINS, C. B., RUSSELL, R. D., and FARQUHAR, R. M.—The maximum age of the elements and the age of the earth's crust, 402.
- COX, C. D.—See Johns, M. W.
- CRANNA, N. G.—A note on the ratio of the quadrupole moments of Li^6 and Li^7 , 1185. See Petch, H. E.
- CRAWFORD, M. F.—See Stansbury, E. J.
- CROSBY, E. H.—See Haslam, R. N. H.
- CROUCH, M. F. and HAYNAM, G. E.—Counting rate measurement by interval sampling, 356.
- DAUPHINEE, T. M.—An isolating potential comparator, 577.
- DAWSON, W. K. and BIGHAM, C. B.—Some reactions produced in Ilford emulsions, 167(L).
- DEMERS, P.—Energy loss of highly charged particles produced by fission and by cosmic rays. Section I. Observations of fission fragments, 78. Plafonnement des aerostats à grande altitude, 366. See Mathieu, R.
- DEMERS, P., LAPALME, J., et THOUVENIN, J.—La régression de l'image latente due aux particules chargées, 295.
- DEMERS, P. and LECHNO-WASIUTYNSKA, Z.—Energy loss of highly charged particles produced by fission and by cosmic rays. III. The linear density of delta rays. Experiments. *With an appendix by LECHNO-WASIUTYNSKA, Z.*—IV. The linear density of delta rays. Theoretical, 480.
- DUCKWORTH, H. E.—See Hogg, B. G.
- DYNE, P. J.—The absorption spectra of free radicals formed in an electric discharge, 453.
- ECKL, D. J.—The decay of the populations of neon atoms in the $2p^3s$ levels, 804. The delayed cathode glow produced in a neon discharge tube at low pressure, 1015.
- EICHHOLZ, G. G., HILBORN, J. W., and McMAHON, C.—The determination of uranium and thorium in ores, 613.

- ENGLISH, W. N. and HANNA, G. C.—Grid ionization chamber measurements of electron drift velocities in gas mixtures, 768.
- FARQUHAR, R. M.—See Collins, C. B.
- FINDLAY, J. C.—See Atkins, K. R.
- FOSTER, J. S.—See Johnson, F. A.
- FRASER, P. A.—See Nicholls, R. W.
- GARDNER, J. W.—Energy selection of charged particles by a magnetic field, 459.
- GOVE, H. E. and WALL, N. S.—The angular distribution of gamma rays in the $C^{12}(p, p'\gamma)$ reaction, 189.
- GOWAN, E. H. and LEPPARD, R. E.—Meteorological variations in the quantity of atmospheric ozone over Edmonton (lat. $53^{\circ}34'$ N. long. $113^{\circ}31'$ W.), 702.
- GRAHAM, R. L. and BELL, R. E.—A determination of the half lives of some magnetic dipole γ -ray transitions, 377.
- GRAY, A. P.—See Sargent, B. W.
- GREENBERG, J. S.—See Westcott, C. H.
- GREENBERG, L. H. and HASLAM, R. N. H.—On the shrinkage factor of nuclear emulsions, 1115.
- GRIFFITHS, H. D.—Wave guide arrays with symmetrical conductance functions, 520.
- GRUENBERG, H.—Second-order beams of slotted wave guide arrays, 55.
- GUPTILL, E. W.—The sound field of a piston source, 393.
- HANNA, G. C.—See English, W. N.
- HARVEY, J. A.—Energy levels in lead and bismuth and nuclear shell structure, 278.
- HASLAM, R. N. H.—See Greenberg, L. H.; Summers-Gill, R. G.
- HASLAM, R. N. H., HORSLEY, R. J., JOHNS, H. E., and ROBINSON, L. B.—Measurement of nuclear gamma-ray absorption in carbon, 636.
- HASLAM, R. N. H., KATZ, L., CROSBY, E. H., SUMMERS-GILL, R. G., and CAMERON, A. G. W.—Cross section for the reaction $Be(\gamma, p)Li^3$, 210.
- HAYNAM, G. E.—See Crouch, M. F.
- HERZBERG, G.—Forbidden transitions in diatomic molecules. III. New $^1\Sigma_u \leftarrow ^3\Sigma_g^-$ and $^3\Delta_u \leftarrow ^3\Sigma_g^-$ absorption bands of the oxygen molecule, 657.
- HERZBERG, L.—See Locke, J. L.
- HILBORN, J. W.—See Eichholz, G. G.
- HITSCHFELD, W.—See Marshall, J. S.
- HOGG, B. G. and DUCKWORTH, H. E.—An atomic mass study of nuclear shell structure in the region $28 \leq n \leq 50$ and $28 \leq Z \leq 40$, 942.
- HORSLEY, R.—See Wiles, D. R.
- HORSLEY, R. J.—See Haslam, R. N. H.
- HOWELL, W. D.—See Bartholomew, R. M.
- HUGO, T. J.—See Naudé, S. M.
- HUNTEN, D. M.—A rapid-scanning auroral spectrometer, 681.
- JACKSON, K. A. and CHALMERS, B.—Influence of striations on the plastic deformation of single crystals of tin, 1017.
- JACOBS, J. A.—Temperature-pressure hypothesis and the earth's interior, 370.
- JARMAIN, W. R.—See Nicholls, R. W.
- JOHNS, H. E.—See Haslam, R. N. H.
- JOHNS, M. W., WATERMAN, H., MACASKILL, D., and COX, C. D.—A description of a large double-focusing beta spectrometer and its application to a study of the decay of In^{114} , 225.
- JOHNSON, F. A.—The decay of Cd^{106} , 1136.
- JOHNSON, F. A. and FOSTER, J. S.—Auger transitions in silver, 469.
- KAEMPFFER, F. A.—Note on the concept of vacuum in quantum electrodynamics, 165. Theory of the electromagnetic vacuum (preliminary report), 497. The physical meaning of auxiliary conditions in the theory of gravitational waves, 501. Theory of the electromagnetic vacuum. I, 629.
- KASTNER, J.—The half-life of europium-152, 154, 169(L).
- KATZ, L.—See Haslam, R. N. H.; Montalbetti, R.; Summers-Gill, R. G.
- KATZ, L., BAKER, R. G., and MONTALBETTI, R.—The photoneutron cross sections of Rb^{87} , Zr^{90} , and Mo^{92} , 250.
- KELLY, F. M. and MACDONALD, D. K. C.—On θ values in metals, 147.
- KINSEY, B. B.—See Bartholomew, G. A.

- KINSEY, B. B. and BARTHOLOMEW, G. A.—The measurement of energies and intensities of γ -rays with a pair spectrometer, 537. Note on some neutron capture γ -rays from magnesium, 901(L). Neutron capture γ -rays from heavy even-charge nuclei, 1051.
- KIRKALDY, J. S.—See Westcott, C. H.
- KROTKOV, R. V. and SCHEIDEGGER, A. E.—Thermodynamics of some special fields, 329.
- KUSCER, I.—Penetration of radiation through a thick slab of isotropically scattering material, 1187(L).
- LAMARCHE, G. and VOLKOFF, G. M.—A theoretical investigation of the nuclear resonance absorption spectrum of Al^{27} in spodumene, 1010.
- LAPALME, J.—See Demers, P.
- LECHNO-WASIUTYNSKA, Z.—See Demers, P.
- LEE, P. A.—“Phosphorescent” effect in lead selenide, 1023(L).
- LEFAIVRE, J.—Un objectif spécial à grande ouverture numérique, 1182.
- LELL, E.—See Theimer, O.
- LEPPARD, R. E.—See Gowan, E. H.
- LOCKE, J. L. and HERZBERG, L.—The absorption due to carbon monoxide in the infrared solar spectrum, 504.
- LOVEJOY, D. R.—See Atkins, K. R.
- MACASKILL, D.—See Johns, M. W.
- MCDIARMID, I. B.—Angular separation of electron pairs, 337.
- MACDONALD, D. K. C.—See Kelly, F. M.
- MCKINLEY, D. W. R.—Effect of radar sensitivity on meteor echo durations, 758. Meteor echo duration and radio wave length, 1121.
- MCKINLEY, D. W. R. and MILLMAN, P. M.—Long duration echoes from aurora, meteors, and ionospheric back-scatter, 171.
- McMAHON, C.—See Eichholz, G. G.
- MANN, K. C.—See Pearce, R. M.
- MARSHALL, J. S.—Frontal precipitation and lightning observed by radar, 194.
- MARSHALL, J. S. and HITSCHFELD, W.—Interpretation of the fluctuating echo from randomly distributed scatterers. Part I, 962.
- MATHIEU, R. and DEMERS, P.—Energy loss of highly charged particles produced by fission and by cosmic rays. Section II. Photometric measurements on fission fragments, 97.
- MILLAR, C. H.—Photo-alpha particles from silver and bromine irradiated with 70 Mev. bremsstrahlung, 262.
- MILLAR, C. H. and CAMERON, A. G. W.—Photo-alpha reactions in nuclear emulsions, 723.
- MILLMAN, P. M.—See McKinley, D. W. R.
- MONTALBETTI, R.—See Katz, L.
- MONTALBETTI, R. and KATZ, L.—The $\text{O}^{16}(\gamma, n)\text{O}^{16}$ and $\text{O}^{16}(\gamma, p)\text{N}^{17}$ reactions, 798.
- MORGAN, E. R.—See Piercy, G. R.
- NAUDÉ, S. M. and HUGO, T. J.—The emission spectrum of aluminum monofluoride, 1106.
- NICHOLLS, R. W., JARMAN, W. R., and FRASER, P. A.—The calculation of vibrational transition probabilities of diatomic molecules, 1019.
- NIVEN, C. D.—The effect of thermal radiation on the electrical resistance of hydrophilic organic films, 1095.
- NOAKES, G. E. and ALLIN, E. J.—Interference effects in the small angle scattering of X rays by small particles, 40.
- OSBORNE, F. J. F.—A simplified ionization gauge circuit, 11. Some characteristics of secondary emission from BeCu , 1189 (L).
- PAUL, E. B. and CLARKE, R. L.—Cross-section measurements of reactions induced by neutrons of 14.5 Mev. energy, 267.
- PEARCE, R. M. and MANN, K. C.—Compton electron suppression in the gamma-ray spectra of Ra ($B + C$), Co^{60} , and Ta^{182} , 592.
- PETCH, H. E., CRANNA, N. G., and VOLKOFF, G. M.—Second order nuclear quadrupole effects in single crystals. Part II. Experimental results for spodumene, 837.
- PETRIE, W. and SMALL, R.—The intensities of atomic and molecular features in the auroral spectrum, 911.
- PICKUP, E.—Grain size in Ilford G5 emulsions, 898.
- PIERCY, G. R. and MORGAN, E. R.—Ferromagnetism and order in nickel manganese alloys, 529.

- POST, E. J.—On the characteristic temperatures of single crystals and the dispersion of the "Debye heat waves", 112.
- ROBINSON, L. B.—See Haslam, R. N. H.
- RUSSELL, R. D.—See Collins, C. B.
- RUTTER, J. W. and CHALMERS, B.—A prismatic substructure formed during solidification of metals, 15.
- SARGENT, B. W., YAFFE, L., and GRAY, A. P.—Measurement of the half-lives of AcC'' , Cu^{66} , Mg^{27} , Ti^{91} , Ti^{90g} , and V^{52} , 235.
- SCHEIDEGGER, A. E.—On some physical aspects of the theory of the origin of mountain belts and island arcs, 1148. See Krotkov, R. V.
- SHANMUGADHASAN, S.—The quantization of classical spin theory, 1.
- SHOREY, W. R. J.—See Bartholomew, R. M.
- SMALL, R.—See Petrie, W.
- SMITH, B. W.—See Wiles, D. R.
- STANSBURY, E. J., CRAWFORD, M. F., and WELSH, H. L.—Determination of rates of change of polarizability from Raman and Rayleigh intensities, 954.
- STASIOR, R. A.—See Atkins, K. R.
- STEENBERG, N. R.—The detection of polarized γ radiation by the Compton process, 204.
- SUMMERS-GILL, R. G.—See Haslam, R. N. H.
- SUMMERS-GILL, R. G., HASLAM, R. N. H., and KATZ, L.—Photoneutron cross sections in silicon and calcium, 70.
- THEIMER, O. and LELL, E.—Rayleigh scattering of condensed matter, 1170.
- THODE, H. G.—See Wanless, R. K.; Wiles, D. R.
- THOUVENIN, J.—See Demers, P.
- VAN DER HOFF, B. M. E. and BENSON, G. C.—A method for the evaluation of some lattice sums occurring in calculations of physical properties of crystals, 1087.
- VOLKOFF, G. M.—Second order nuclear quadrupole effects in single crystals. Part I. Theoretical, 820. See Lamarche, G.; Petch, H. E.
- WAIT, J. R.—A conducting permeable sphere in the presence of a coil carrying an oscillating current, 670.
- WAIT, J. R. and CAMPBELL, L. L.—Effect of a large dielectric constant on ground-wave propagation, 456.
- WALL, N. S.—See Gove, H. E.
- WALLACE, P. R.—Interpretation of the fluctuating echo from randomly distributed scatterers. II, 995.
- WANLESS, R. K. and THODE, H. G.—The mass spectrometer determination of the half-life of Kr^{88} , 517.
- WATERMAN, H.—See Jones, M. W.
- WATSON, W. H.—See Atkins, K. R.
- WELSH, H. L.—See Stansbury, E. J.
- WEST, D. C.—The photoelectric constants of iodine, 691.
- WESTCOTT, C. H., GREENBERG, J. S., and KIRKALDY, J. S.—An experimental study of counting losses due to dead-time effects, 859.
- WILES, D. R., SMITH, B. W., HORSLEY, R., and THODE, H. G.—Fission yields of the stable and long-lived isotopes of cesium, rubidium, and strontium and nuclear shell structure, 419.
- WOLFSON, J. L.—See Brown, F.
- WOOLLEY, H. W.—Note on the resonance method of measuring the ratio of the specific heats of a gas, C_p/C_v , 604.
- YAFFE, L.—See Bartholomew, R. M.; Brown, F.; Sargent, B. W.

